

NMSS

Non-Motor Symptoms Scale for Parkinson's Disease

Authored by:

Kallol Ray Chaudhuri
Pablo Martinez-Martin
Richard G. Brown
Kapil Sethi
Fabrizio Stocchi
Per Odin
William Ondo
Kazuo Abe
Graeme MacPhee
Doug MacMahon
Paolo Barone
Martin Rabey
Alison Forbes
Kieran Breen

Susanne Tluk Yogini Naidu Alison Forbes Kieran Breen Susanne Tluk Yogini Naidu Warren Olanow Adrian J. Williams Sue Thomas David Rye Yoshio Tsubo Annette Hand Anthony H.V. Schapira

Tel +1 (414) 276-2145 Fax +1 (414) 276-3349 555 E. Wells Street, Suite 1100 Milwaukee, WI 53202-3823 www.movementdisorders.org ratingscales@movementdisorders.org

MDS Permissions

The Non-Motor Symptoms Scale for Parkinson's Disease (NMSS) is owned and licensed by the International Parkinson and Movement Disorder Society (MDS). Permission is required to use the scale and can be obtained by submitting a <u>Permissions Request Form</u> on the MDS website. For licensing inquiries, please e-mail <u>ratingscales@movementdisorders.org</u>.

Unauthorized reproduction, distribution, translation, or sale of any portion of the NMSS is strictly prohibited. Changes, modifications and derivative works of the scale are not permitted without the express authorization of MDS. Including but not limited to the following, the NMSS may not be incorporated into clinical trials, training materials, certification programs, software programs, electronic platforms, electronic medical records, databases, or devices except by permission of MDS.

Non-Motor Symptom assessment scale for Parkinson's Disease

Patient ID No:	Initials:	Age:		
Symptoms assessed over the last month. Each symptom scored with r	espect to:			
Severity: 0 = None, 1 = Mild: symptoms present but causes little distr	ress or disturbance to patient; 2 = Moderate: some of	listress		
or disturbance to patient; 3 = Severe: major source of distress or disturbance	rbance to patient.			
Frequency: $1 = \text{Rarely } (<1/\text{wk}); 2 = \text{Often } (1/\text{wk}); 3 = \text{Frequent (seven})$	ral times per week); 4 = Very Frequent (daily or all	the time)		
Domains will be weighed differentially. Yes/ No answers are not incl (Bracketed text in questions within the scale is included as an explana-				
Domain 1: Cardiovascular including falls		Severity	Frequency	
1. Does the patient experience light-headedness, dizziness, we or lying position?	eakness on standing from sitting			x Severity
2. Does the patient fall because of fainting or blacking out?				
SCORE:				
Domain 2: Sleep/fatigue				
3. Does the patient doze off or fall asleep unintentionally duri (For example, during conversation, during mealtimes, or while				
4. Does fatigue (tiredness) or lack of energy (not slowness) li	mit the patient's daytime activities?			
5. Does the patient have difficulties falling or staying asleep?				
6. Does the patient experience an urge to move the legs or resmovement when he/she is sitting or lying down inactive?	ttlessness in legs that improves with			
SCORE:				
Domain 3: Mood /Cognition				
7. Has the patient lost interest in his/her surroundings?				
8. Has the patient lost interest in doing things or lack motivat	ion to start new activities?			
9. Does the patient feel nervous, worried or frightened for no	apparent reason?			
10. Does the patient seem sad or depressed or has he/she repo				
11. Does the patient have flat moods without the normal "hig				
12. Does the patient have difficulty in experiencing pleasure activities or report that they lack pleasure?	from their usual			
SCORE:				
Domain 4: Perceptual problems/hallucinations				
13. Does the patient indicate that he/she sees things that are n	ot there?			
14. Does the patient have beliefs that you know are not true? about being harmed, being robbed or being unfaithful)	(For example,			
15. Does the patient experience double vision?(2 separate real objects and not blurred vision)				
SCORE:				

	Severity	Frequency	Frequency x Severity
Domain 5: Attention/ Memory			-
 16. Does the patient have problems sustaining concentration during activities? (For example, reading or having a conversation) 17. Does the patient forget things that he/she has been told a short time ago or events that happened in the last few days? 18. Does the patient forget to do things? (For example, take tablets or turn off domestic appliances?) SCORE: 			
Domain 6: Gastrointestinal tract			
19. Does the patient dribble saliva during the day?			
20. Does the patient having difficulty swallowing?			
21. Does the patient suffer from constipation?(Bowel action less than three times weekly)			
SCORE:			
Domain 7: Urinary			
22. Does the patient have difficulty holding urine? (Urgency)			
23. Does the patient have to void within 2 hours of last voiding? (Frequency)			
24. Does the patient have to get up regularly at night to pass urine? (Nocturia)			
SCORE:			
Domain 8: Sexual function			
25. Does the patient have altered interest in sex? (Very much increased or decreased, please underline)			
26. Does the patient have problems having sex?			
SCORE:			
Domain 9: Miscellaneous			
27. Does the patient suffer from pain not explained by other known conditions? (Is it related to intake of drugs and is it relieved by antiparkinson drugs?)			
28. Does the patient report a change in ability to taste or smell?			
29. Does the patient report a recent change in weight (not related to dieting)?			
30. Does the patient experience excessive sweating? (not related to hot weather)			
SCORE:			
TOTAL SCORE:			

Developed by the International Parkinson's Disease Non-Motor Group.